

APPENDIX I. PSFA LETTER

State of New Mexico
Public School Facilities Authority



Robert A. Gorrell, Director
Tim Berry, Deputy Director

Santa Fe Office
2019 Galisteo
Suite B-1
Santa Fe, NM 87505
(505) 988-5989
(505) 988-5933 (Fax)

Albuquerque Field Office
1312 Basehart Drive SE
Suite 200
Albuquerque, NM 87106
(505) 843-6272
(505) 843-9681 (Fax)

June 4, 2013

Mr. Phillip Skinner
Columbus Community School
PO Box 810
Columbus, New Mexico 88029-0810

Dear Mr. Skinner:

PSFA has received and reviewed the Facility Master Plan/Educational Specification (FMP/Ed Spec) for the Columbus Community School Charter. The FMP/Ed Spec's purpose is to guide you in the planning of and/or selection of a facility to ensure that it is adequate to accommodate your educational program and method of instruction. Based upon our review, PSFA is pleased to announce that the Plan meets our requirements. In accordance with House Bill 283, your next step is to submit your charter school application to the New Mexico Public Education Department (PED) and include your plan. We also request that you send us the plan in a 3-ring binder and include an electronic version once the PED approves your charter.

Through our review of the FMP/Ed Spec, PSFA understands the following:


- The Columbus Community Charter School would like to use the Ben Archer Medical facility, Village of Columbus playground/pool, and Village of Columbus Community Center, and parts of the old Columbus Elementary School to deliver your curriculum.
- If PED does approve your charter application, PSFA staff will have to review your proposed facilities to ensure that they equal the average statewide weighted New Mexico Facilities Index before you can use them for educational facilities.
- The school also plans on locating portables on two acres of vacant land, which could be home to the school's permanent site with permanent square footage.
- To use the entire old Columbus Elementary School is cost prohibitive since the school needs significant rehabilitation work, which necessitated the need for a new Columbus Elementary school.
- According to 40th Day 2012-13 Enrollment numbers and capacity figures, the new Columbus Elementary does not have the capacity to accommodate the charter school in its facility.
- You plan to have a cap of 390 students and consist of 6th-10th grades initially and later add 11th and 12th grade.

Partnering with New Mexico's communities to provide quality, sustainable school facilities for our students and educators

- You plan on having 26 general classrooms with an anticipated pupil/teacher ratio of 1 teacher for 15 students.
- You have reviewed our adequacy standards, planning guide, and HB 283.

If you are a successful applicant, please remember to work closely with PSFA's Planning and Design team as you review potential facilities. You can reach us at (505) 843-6272.

Sincerely,



John M. Valdez, AICP
Facility Master Planner

cc: Travis Coker, Regional Manager, PSFA
Jorge Au, Regional Manager, PSFA
Martica Casias, Planning and Design Manager, PSFA