



COVID-19 Safe Practices Walkthrough Form

Date:	1/29/2021	
District:	Gallup-McKinley County Schools	
School:	Chief Manuelito Middle School	
District/ Charter Contact Name	Ben Chavez	District/Charter Signature:  1-29-21
Fire Marshal/ PED Staff Name	City of Gallup Fire Marshal Jon C. Pairett	Fire Marshal/ PED Staff Signature: 
Current Status Use Drop Down	Safe Practice	Notes/ Checklist
Yes	Multi-ply cloth masks available and utilized by all staff and students, over the nose and mouth, secure under the chin, snug on face with no gaps.	Extra disposable masks on hand? Supply of masks and PPE are on hand.
Yes	Classrooms and commons areas are set up for 6 feet social distancing with 50% student enrollment in place.	Are desk marked for A/B cohorts? Are desks/ students facing one direction? Desks set for 6 foot spacing and facing the same direction. Plan in place for A and B markings.
Yes	If applicable, cafeteria (or other congregate feeding area) is set up for 6 feet social distancing and cohorts of students are not mixed.	6 foot social distancing in place. Will revisit layout if number of students exceeds expectations.
Yes	Hand sanitizer that contains at least 60% alcohol is available across the school and ample cleaning supplies in place. Soap and supplies in bathrooms are ample with reliable running water.	70% hand sanitizer present in each classroom. Appropriate cleaning supplies available in restrooms. In process of marking urinals, sinks and toilets.
Yes	Sanitization protocols in place that address daily cleaning and disinfection with particular attention to frequently touched surfaces including both building, playground and buses.	Sanitization logs accesible and posted across the school site? Sanitation logs present and documentation is being completed.
Yes	School doors and windows are operable and other air filtration measures in place.	Open windows and doors: Air purifiers are on order awaiting PO, when arrived they will supply each classroom with 2 purifiers.
Yes	School ventilation systems are functional and meet standard.	MERV 9
Yes	Evacuation plan in place that maintains 6 feet social distancing. Dismissal process in place that maintains social distancing.	Procedures are in place and education with staff and educators conducted. Will practice when students return.
Yes	Isolation rooms for symptomatic individuals in place and protocols for students exhibiting symptoms on buses in place.	Isolation room has been designated and COVID safe protocols are in place.
Yes	Protocols and signage in place for entrance into the building including temperature other symptoms check.	Signage noted on doors.
Yes	Signage across the school site that includes expectations for prevention practices: frequently washing hands, avoiding touching eyes, nose, and mouth, wearing masks, staying 6 feet apart and direction of traffic.	Signage noted in buildng. Staff is in the process of placing additional signage.
	General Notes	

