

F.13 - High School Algebra I

PUBLISHER/PROVIDER MATERIAL INFORMATION (TO BE COMPLETED BY PUBLISHER/PROVIDER)					
Publisher/Provider Name/Imprint:		Grade(s):			
Title of Student Edition:		Student Edition ISBN:			
Title of Teacher Edition:		Teacher Edition ISBN:			
Title of SE Workbook:		SE Workbook ISBN:			

PUBLISHER/PROVIDER CITATION VIDEO: Reviewer must view video before starting the review of this set of materials.					
Citation Video Link:					
Citation video certification:	I certify that I have viewed the citation set of materials.				
8	Website:	Username:	Password:		
(Include ONLY if submitting digital materials					
as part of the review set listed above.)					

Section 1: Standards Review -- Math Content Standards PUBLISHER/PROVIDER INSTRUCTIONS:

PUBLISHER/PROVIDER INSTRUCTIONS:

Publisher/Provider citations for this section will refer to the Teacher Edition (teacher-facing core material). The cited Teacher Edition should correspond with the title and ISBN entered on the Form F cover page, whether in print, online, or both. The review set submitted to the summer review institute should also correspond with what is cited on the Form F. If the review set is an online platform only, then that is what should be cited on the Form F and submitted for review by the review teams. If the review set is in print only, then that is what should be cited on the Form F and submitted for review by the review teams.

For this section, the publisher/provider will enter one citation per math content standard in Column D. Extraction should direct the reviewer to a specific location in the materials that best meets the standard. The citations should be concise and should allow the reviewer to easily determine that all components of the standard have been met. Each citation should cover no more than 3 pages within the materials.

O column D: Enter one citation in Column D from the Teacher Edition (teacher-facing core material). Each citation should direct the reviewer to a specific location in the materials that best meets the standard. If necessary, you may enter multiple, targeted citations in column D from the Teacher Edition (teacher-facing core material). Each citation should direct the reviewer to a specific location in the materials that best meets the standard. If necessary, you may enter multiple, targeted citations in order to address standards with multiple components. Use as few citations as needed to meet the full intent of the standard. Your citations should be concise and should allow the reviewer to easily determine that the full intent and all components of the standard have been met.

		nt and all components of the standard have been met. naterial will be scored for alignment with each standard as "Meets expe	ectations", "Partially meets expecta o NOTE: You may not use a c						
Criteria #	Standard	F.13 High School Algebra I Standards Review	Publisher/Provider Citation from Teacher Edition	Score Score	If Scored D: Reviewer's Evidence for Publisher Citation	Reviewer Citation from Student Edition/Workbook	Score	Required: Reviewer's Evidence	Comments, other citations, notes
		Real Number System							
Cluster:	Extend the pro	perties of exponents to rational exponents. Explain how the definition of the meaning of rational exponents					1		
		follows from extending the properties of integer exponents to those							
1	N.RN.1	values, allowing for a notation for radicals in terms of rational exponents. For example, we define 51/3 to be the cube root of 5							
		because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $5^{(1/3)3}$ must equal 5.							
2	N.RN.2	Rewrite expressions involving radicals and rational exponents using the properties of exponents.							
Cluster:	Use properties	of rational and irrational numbers.					1		
		Explain why the sum or product of two rational numbers is rational;							
3	N.RN.3	that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an							
DOMANN	LUCNO O	irrational number is irrational.							
	: HS.N-Q Quar Reason quanti	tatively and use units to solve problems.							
		Use units as a way to understand problems and to guide the solution							
4	N.Q.1	of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and							
		data displays.							
5	N.Q.2	Define appropriate quantities for the purpose of descriptive modeling.							
6	N.Q.3	Choose a level of accuracy appropriate to limitations on							
		measurement when reporting quantities. ing Structure in Expressions							
		tructure of expressions.							
7	A.SSE.1	Interpret expressions that represent a quantity in terms of its							
		context.★ Interpret parts of an expression, such as terms, factors, and					+		
8	A.SSE.1.a	coefficients.					-		
9	A.SSE.1.b	Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret P(1+r) ⁿ as the product							
		of P and a factor not depending on P.							
10	A.SSE.2	Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference							
		of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.							
Cluster:	Write expressi	ons in equivalent forms to solve problems. Choose and produce an equivalent form of an expression to reveal						l	
11	A.SSE.3	and explain properties of the quantity represented by the							
		expression. ★					-		
12	A.SSE.3.a	Factor a quadratic expression to reveal the zeros of the function it defines.							
13	A.SSE.3.b	Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.							
		Use the properties of exponents to transform expressions for							
14	A.SSE.3.c	exponential functions. For example the expression 1.15 ^t can be							
		rewritten as (1.15½) ¹² ½ ≈ 1.012½ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.							
		thmetic with Polynomials and Rational Expressions							
Cluster:	Perform arithr	netic operations on polynomials. Understand that polynomials form a system analogous to the					<u> </u>		
15	A.APR.1	integers, namely, they are closed under the operations of addition,							
		subtraction, and multiplication; add, subtract, and multiply polynomials.							
		ating Equations *							
Cluster:	Create equation	ons that describe numbers or relationships.							
16	A.CED.1	Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic							
		functions, and simple rational and exponential functions. Create equations in two or more variables to represent relationships					-		
17	A.CED.2	between quantities; graph equations on coordinate axes with labels							
		and scales. Represent constraints by equations or inequalities, and by systems				-	+		+
		of equations and/or inequalities, and interpret solutions as viable or							
18	A.CED.3	non- viable options in a modeling context. For example, represent inequalities describing nutritional and cost constraints on							
		combinations of different foods.							
19	A.CED.4	Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange							
		Ohm's law $V = IR$ to highlight resistance R .							
		soning with equations and inequalities Iving equations as a process of reasoning and explain the reasoning.							
cruster:	Onuerstand SO	Explain each step in solving a simple equation as following from the							
20	A.REI.1	equality of numbers asserted at the previous step, starting from the							
		assumption that the original equation has a solution. Construct a viable argument to justify a solution method.							
Cluster:	Solve equation	s and inequalities in one variable.							
21	A.REI.3	Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.							
22	A.REI.4	Solve quadratic equations in one variable.							
23	A.REI.4.a	Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x-p)^2 = q$ that							
- 23	A.NEI.4.d	has the same solutions. Derive the quadratic formula from this form.							
		Solve quadratic equations by inspection (e.g., for x ² = 49), taking square roots, completing the square, the quadratic formula and			·				
24	A.REI.4.b	factoring, as appropriate to the initial form of the equation.							
		Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b .							
Cluster:	Solve systems								

Prove that, given a system of two equations in two variables, preplacing one equation by the sum of the equation and amultiple of the other produces a system with the same solutions. 26	
of the other produces a system with the same solutions. 26 AREI.6 Sobe systems of linear equations and sinear equations and systems of linear equations and systems of linear equations and the crise systems of linear equations and augustic systems on the systems of linear equations and augustic systems on the systems of linear equations and augustic systems on the systems of linear equations and the crise systems of linear equations and linear equations and the crise systems of linear equations (linear equations) and linear equations (linear	
AREL 5 AREL 6 AREL 6 Solve systems on linear equalitons exactly and approximately (e.g., with graphs), Concision posals or linear equations in two variables. Solve simple system consisting of a linear equation and a quadratic equation in two variables algebracially and graphically for caumple, set and the circle (s.t. 4) = 3. Cluster: Represent and solve equations and inequalities graphically. Understand that the graph of an equation in two variables is the set of all its solutions potential plane, often forming a care living of all its solutions plated in the conforming a care living of all its solutions of the equation (y.g. 4) and y regio its enter the solutions of the equation (y.g. 4) and y regio its enter are the solutions of the equation (y.g. 4), find the solutions approximately, e.g., using technology to graph the functions, make exponential, and solutions approximations. Include cases where y/g) and/or g/g) are interest, and the solutions approximations, include cases where y/g) and/or g/g) are interest, and the solutions approximations, include cases where y/g) and/or g/g) are interest, and an exposure of interest polymoral control interest and contents in the interest polymoral control in	
with graphs, focusing on pass of interest equations and augustation of the points of interestic to be the points of interestic to between the line y = -2x and the circle 27 AREJ. 28 AREJ. 29 AREJ. 20 Londerstand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (winth could be a line). 29 Carter. 20 AREJ. 20 AREJ. 21 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 22 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 23 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 24 AREJ. 25 AREJ. 26 AREJ. 27 AREJ. 28 AREJ. 29 AREJ. 20 AREJ. 30 AREJ. 30 AREJ. 30 Londerstand that substitute the coordinate plane, often forming a curve (winth could be a line). 31 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 32 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 33 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 34 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 35 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 36 AREJ. 37 Explain why the x-coordinates plane, of the coordinate plane, often forming a curve (winth could be a line). 38 Explain why the x-coordinates of the coordinate plane, often forming a curve (winth could be a line). 39 Explain why the x-coordinates of the coordinate plane which is now over all the coordinates of the coordinates and line of the coordinates and	
AREJ Country AREJ Country	
Solution: Proceedings Proceedings Procedings Procedings	
Causer: Represent and solve equations and inequalities graphically. 28 AREJ.10 of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). 29 AREJ.11 Explain why the x-coordinates of the points where the graphs of the equations y = fly and y = q/b) interest are the solutions of the equation fly = q/b/, find the solutions approximately, e.g., using technique fly = q/b/, find the solutions approximately, e.g., using technique fly = q/b/, find the solutions approximately, e.g., using linear, polywomala, rational, abolitive value, exponential, and linear polywomala, rational, abolitive value, exponential, and linear polywomala, rational, abolitive value, exponential, and linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solutions set to a system of linear inequality and graph the solution set to a system of linear inequality and graph the solution set to a system of linear inequalities in two variables as the intersection of the case of a strict inequality, and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-plane. DOMARN RSFi Interpreting Functions Cluster: Understand that a function motation. 31 File 1	
28 A.REI.10 Inderstand that the graph of an equation in two variables is the set of all its solutions plotted in the condinate plane, fore forming a curve (which could be a line). Explain why the x-coordinates of the points where the graphs of the equations y = [fis] and y = gfs] interest care the solutions of the equations y = [fis] and y = gfs] interest care the solutions of the equations y = [fis] and y = gfs] interest care the solutions of the equations (pri = gfs). In the solutions approximately e.g. using technology to graph the functions, make tables of values, or find successive exponential, and of the solutions approximations. Include cases where [fis] and off graph are linear, polynomial, rational, absolute value, exponential, and 30 A.REI.12 30 A.REI.12 30 Caph the solutions to all next englishing in the case of a strict inequality), and graph the solutions to a system of linear inequalities in two variables as the intersection of the corresponding half-planes. DOMAIN: HS.F.IF interpreting functions Cluster: Understand the concept of a function and use function notation. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the angle if is a function and x is an element of its domain, then fly/ denotes the output of corresponding to the input x. The graph of the equation y = [fis]. 31 E.F.F.2 domains, and interpret statements that use function notation in terms of a context. 32 E.F.F.2 domains, and interpret statements that use function in contain in the range of a subset of the integers. For example, y fis = fis	
A.REI.10 of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). Explain why the x-coordinates of the points where the graphs of the equations y ≠ file and y = y . Interest are the solutions of the equations y ≠ y . and y = y . Interest are the solutions of the equation y . and y . an	
Explain why the x-coordinates of the points where the graphs of the equations y ≠ fol and y ≠ g fol the solutions of the equation fol ≠ g fol, the different prices are the solutions of the equation fol ≠ g fol, the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where fol and/or g fol and fol g fol g fol and fol g fol g fol and fol g fol	
equations y = f(p) and y = g(p) intersect are the solutions of the equation f(p) = g(p); filt the solutions approximations, include cases where f(p) and/or g(p) are linear, polynomial, rational, absolute value, exponential, and logarthmic functions.* 30	
A.REI.11 Ethonlogy to graph the functions, make tables of values, or find successive approximations. Include cases where (s) and/or g(x) are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.* A.REI.12 A.REI.13 A.REI.14 Carph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes. DOMAN: HS.F.EF Interpreting Functions Cluster: Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the anomal element of the domain exactly one element of the anomal element of its domain, the active of a function and x is an element of its domain, then all the control of the corresponding to the input x. The graph of fs the graph of the equation y = f(s). 32	
successive approximations. Include cases where [ft/s) and for gft/s) are linear, polynomial, attonal, abbotiue value, exponential, and legarithmic functions. ★ Graph the solutions to all sabotiue value, exponential, and graph the solutions are to a system of linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two wariables as the intersection of the corresponding half-planes. DOMAIN: HS.F-IF: Interpreting functions Cluster: Understand the concept of a function notation. Understand that a function from one set (called the domain) to another set (called the range all ft is a function and x is an element of it domain, the gloss assigns to each element of the domain element of its domain, then fiffy denotes the output of f corresponding to the input x. The graph of fs the graph of the equation y = [ft]. 31 F.IF.1 32 F.IF.2 33 F.IF.3 34 F.IF.3 4 Recognize that sequences are functions, sometimes defined terms of a context. For a function that models a relationship between two quantities, interpret functions teamers is defined recursively by fill of [ft] = [ft] + [ft-1] for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret functions in that raise in applications in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship, key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features in applications in directions; and a function to its graph and verber in the graph and where applicable,	
linear, polynomial, rational, absolute value, exponential, and logarithmic functions. #	
Graph the solutions to a linear inequality in two variables as a half- plane (seckuding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes. DOMAIN: HS.F-IF Interpreting Functions Cluster: Understand the concept of a function motation. Understand that concept of a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If is a function and x is an element of its domain, then [x] denotes the output of f corresponding to the input. X. The graph of the equation y = f[x]. Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the fibonacci sequence is defined recursively by f[0] = f[1] = 1, f[n+1]	
and A.REI.12 plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes. DOMAIN: HS.F-IF Interpreting Functions Cluster: Understand the concept of a function and use function notation. Understand that a function from one set (called the domain) to another set (called the acape) assigns to each element of the domain exactly one element of the range. If <i>f</i> is a function and <i>x</i> is an element or its domain, then <i>f f</i> is denotes the output of <i>f</i> corresponding to the input <i>x</i> . The graph of <i>f</i> is the graph of the equation y = <i>f</i> (<i>f</i>). Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recrusively by <i>f</i> (0) = <i>f</i> (1) = 1, <i>f</i> (n+1) =	
A.REL.IZ yraph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes. DOMAIN: H.S.F-IF Interpreting Functions Cluster: Understand the concept of a function and use function notation. I Understand the concept of a function and use function from one set (called the domain) to another set (called the range) assigns to each element of the domain element of its domain, then fifx) denotes the output of f corresponding to the input x. The graph of f is the graph of the equation y = fifx). Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fishonacci sequence is defined recursively by ff(0) = ff(1) = 1, ff(n+1) = ff(n) + ff(n-1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. Firs a function that models a relationship between two quantities, interpret key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal description of the relationship. key features given a verbal desc	
DOMAIN: HS.F-IF Interpreting Functions Cluster: Understand the concept of a function and use function notation. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain another set (called the range) assigns to each element of the domain element of its domain, then fi/s) denotes the output of f corresponding to the input x. The graph of fis the graph of the equation y = f(x). Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = f(n) + f(n-1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features going and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship, Key features include: intercepts; intervols where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.★ Relate the domain of a function to its graph and, where applicable,	
Cluster: Understand the concept of a function and use function notation. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range). If is a function and x is an exactly one element of the range. If is a function and x is an equation y = fixi. FIF.1	
Understand that a function from one set (called the domain) to another set (called the range) assigns to see ach element of the domain and vis an element of its domain, then f(x) denotes the output of f corresponding to the input x. The graph of f is the graph of the equation y = f(x). Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = f(n) + f(n-1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; interpret with function is increasing, decreasing, positive, or negative, relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
as a cardy one element of the range. If <i>f</i> is a function and <i>x</i> is an element of its domain, then <i>f</i> (<i>x</i>) denotes the output of <i>f</i> corresponding to the input <i>x</i> . The graph of <i>f</i> is the graph of the equation <i>y</i> = <i>f</i> (<i>x</i>). 32 F.IF.2 Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. 33 F.IF.3 Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. <i>For example</i> , the <i>Fibonacci sequence is defined recursively by f</i> (0) = <i>f</i> (1) = 1, <i>f</i> (n+1) or ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; interpret key features increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,</i>	
element of its domain, then f/s) denotes the output of f corresponding to the input x. The graph of f is the graph of the equation y = f/s/. Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = -f(n) + f(n-1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features given a verbal intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
corresponding to the input x The graph of f is the graph of the equation y = f(x). Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = f(n) + f(n-1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = f(n) + f(n-1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features given a verbal intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
32 F.IF.2 domains, and interpret statements that use function notation in terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by f[0] = f[1] = 1, f[n+1] = f[n] + f[n-1] for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
terms of a context. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = 1, f(n+1) = 1, f(n+1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features given a verbal description of the relationship. Key features given a verbal finerwals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
F.IF.3 F.IF.3 F.IF.3 F.IF.3 F.IF.3 F.IF.3 F.IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts, interpret key features include: intercepts, intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
The Fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = f(n) + f(n-1) for n ≥ 1. Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: Intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
Cluster: Interpret functions that arise in applications in terms of the context. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. * Relate the domain of a function to its graph and, where applicable,	
Interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal 34 F.IF.4 F.IF.5 F.IF.4 F.IF.4 F.IF.4 F.IF.4 F.IF.4 F.IF.5 F.IF.5 F.IF.5 F.IF.5 F.IF.6 F.IF.6 F.IF.6 F.IF.6 F.IF.6 F.IF.6 F.IF.6 F.IF.7 F.IF	
34 F.IF.4 description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. * Relate the domain of a function to its graph and, where applicable,	
Intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. * Relate the domain of a function to its graph and, where applicable,	
negative; relative maximums and minimums; symmetries; end behavior; and periodicity. ★ Relate the domain of a function to its graph and, where applicable,	
Relate the domain of a function to its graph and, where applicable,	
to the quantitative relationship it describes. For example, if the	
35 F.IF.5 function h(n) gives the number of person-hours it takes to assemble n	
engines in a factory, then the positive integers would be an	
appropriate domain for the function. ★ Calculate and interpret the average rate of change of a function	
36 F.IF.6 (presented symbolically or as a table) over a specified interval.	
Estimate the rate of change from a graph.★	
Cluster: Analyze functions using different representations. Graph functions expressed symbolically and show key features of	
37 F.IF.7 the graph, by hand in simple cases and using technology for more	
complicated cases.★ Graph linear and quadratic functions and show intercepts, maxima,	
38 F.IT-7.a and minima.	
39 F.I.F.7.b Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.	
Graph exponential and logarithmic functions, showing intercepts	
40 F.F.7.e and end behavior, and trigonometric functions, showing period,	
midline, and amplitude. Mrite a function defined by an expression in different but equivalent	
forms to reveal and explain different properties of the function.	
Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of	
42 Fin-ba quantum tunctum to sulve ents, extreme varues, and symmetry of the graph, and interpret these in terms of a context.	
Use the properties of exponents to interpret expressions for	
43 F.I.F.8.b exponential functions. For example, identify percent rate of change in functions such as $y = (1.02)^x$, $y = (0.01)^{12}$, $y = (1.01)^{12}$, $y = (1.$	
and classify them as representing exponential growth or decay.	
Compare properties of two functions each represented in a different	·
way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function	
and an algebraic expression for another, say which has the larger	
maximum. DOMAIN: HS.F-BF Building Functions	
Courser: Build a function that models a relationship between two quantities.	
45 FRF1 Write a function that describes a relationship between two	
quantities.★ Optiming an envillait environing a requiring encours or stead for	
46 R.B.F.1.a Determine an explicit expression, a recursive process, or steps for calculation from a context.	
Combine standard function types using arithmetic operations. For	
47 F.BF.1.b example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and	
relate these functions to the model.	
Write arithmetic and geometric sequences both recursively and with	
48 F.BF.2 an explicit formula, use them to model situations, and translate between the two forms.★	
Cluster: Build new functions from existing functions.	
Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $kf(x)$, $f(x) + k$, $f(x) = f(x) + k$,	
(kx), and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and	
49 r.or.s illustrate an explanation of the effects on the graph using	
technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.	
grapms and argeoraic expressions for triem. 50 F.BF.4 Find inverse functions.	
Solve an equation of the form f(x) = c for a simple function f that has	
51 F.B.F.4.a an inverse and write an expression for the inverse. For example, f(x)	
$ =2 x^3 \text{ or } f(x) = (x+1)/(x-1) \text{ for } x \neq 1.$	
DOMAIN: HS.F-LE Linear, Quadratic, and Exponential Models ★	

Cluster:	Construct and	compare linear, quadratic, and exponential models and solve probler	ns.		 		
52	F.LE.1	Distinguish between situations that can be modeled with linear functions and with exponential functions.					
53	F.LE.1.a	Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals.					
54	F.LE.1.b	Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.					
55	F.LE.1.c	Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.					
56	F.LE.2	Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).					
57	F.LE.3	Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.					
Cluster:	Interpret expr	essions for functions in terms of the situation they model.					
58	F.LE.5	Interpret the parameters in a linear or exponential function in terms of a context.					
DOMAIN	: HS.S-ID - Inte	rpreting Categorical and Quantitative Data					
Cluster:	Summarize, re	present, and interpret data on a single count or measurement variable	e.				
59	S.ID.1	Represent data with plots on the real number line (dot plots, histograms, and box plots).					
60	S.ID.2	Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.					
61	S.ID.3	Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).					
Cluster:	Summarize, re	present, and interpret data on two categorical and quantitative varial	bles.				
62	S.ID.5	Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.					
63	S.ID.6	Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.					
64	S.ID.6.a	Fit a function to the data; use functions fitted to data to solve problems in the context of the data. Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.					
65	S.ID.6.b	Informally assess the fit of a function by plotting and analyzing residuals.					
66	S.ID.6.c	Fit a linear function for a scatter plot that suggests a linear association.					
Cluster:	Interpret linea	r models.					
67	S.ID.7	Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.					
68	S.ID.8	Compute (using technology) and interpret the correlation coefficient of a linear fit.					
69	S.ID.9	Distinguish between correlation and causation.					
		1				1	

C4:	2. Math Cantant Daview			
	2: Math Content Review			
	ERS/PROVIDERS:			
	ath Content Review tab will be completed solely by the rev		· ·	r score
	ne material based on their overall review of the material. Y		•	
• The ma	aterial will be scored for alignment with each criterion as "I	Meets expe	ectations", "Partially meets expectations", or	
"Does	not meet expectations".			
Criteria			Required: Reviewer's Evidence from Material	
#	Grades K-12 Math Content Criteria	Score	Include where you found the evidence in the material and what	Comments, citations, notes
			evidence you found that supports your score.	
	REA 1: RIGOR AND MATHEMATICAL PRACTICES			p
	s support student mastery through a grade-appropriate ba			application.
Material	s meaningfully connect the Content Standards (CCSS) with	tne Stand	ards for Mathematical Practice (SMPs).	
	Conceptual Understanding:			
1	Materials support the intentional development of			
	students' conceptual understanding of key mathematical			
	concepts.			
	Procedural Skill and Fluency:			
2	Materials support intentional opportunities for students			
_	to develop procedural skills and fluencies in alignment			
	with what is called for in the grade-level standards.			
	Application:			
	Materials support students' ability to leverage			
3	mathematical skills, concepts, representations, and			
	strategies across a range of contexts, (including applying			
	learning to real-world situations and new contexts).			
	Balance of Rigor:			
	With equitable intensity			
4	The three aspects of rigor are not always treated			
4	together and are not always treated separately. The			
	three aspects are balanced with respect to the standards			
	being addressed in each grade level.			
	SMPs 1 and 6			
	Materials support the intentional development of			
5	making sense of problems and attending to precision as			
	required by the mathematical practice standards 1 and			
	6.			
	SMPs 2 and 3			
	Materials support the intentional development of			
_	reasoning abstractly and quantitatively, along with			
6	developing viable arguments and critiquing the			
	reasoning of others, in connection to the content			
	standards, as required by the practice standards 2 and 3.			
	SMPs 4 and 5			
	Materials support the intentional development of			
7	modeling and using tools, in connection to the content			
	standards, as required by the mathematical practice			
	standards 4 and 5.			
	SMPs 7 and 8			
	Materials support the intentional development of seeing			
8	structure and generalizing, in connection to the content			
_	standards, as required by the mathematical practice			
	standards 7 and 8.			
FOCUS A	REA 2: STUDENT CENTERED INSTRUCTION			
	s contain embedded resources (routines, strategies, and p	edagogical	suggestions) to support all students in developing a no	sitive
	atical identity, cultivating self-efficacy, and seeing themse			Sitive
atrieni	Materials provide students with opportunities to	ives as a cc	main community.	
	develop self-efficacy and a positive mathematical			
9	identity through opportunities to engage in grade-level			
	tasks using various sharing strategies and approaches.			
10	Materials provide opportunities for students to see			
	themselves as contributors to the math community.			

FOCUS A	FOCUS AREA 3: INSTRUCTIONAL SUPPORTS FOR ALL STAKEHOLDERS					
	Materials provide guidance and resources to support educators in internalizing the mathematical content and providing responsive and					
	differentiated instruction to all students. Materials contain helpful resources to support implementation and instruction (e.g. materials for					
leaders,	teachers, students, families/ caregivers, etc).					
	Teacher materials contain full, adult-level explanations					
	and examples of the mathematics concepts within					
11	lessons so teachers can improve their own knowledge of					
1	the subject. Materials are in print or clearly					
	distinguished/accessible as a teacher's edition in digital					
	materials.					
	The materials provide guidance for unit/lesson					
12	preparation to support use of the materials as intended					
12	and to further develop the teachers' own understanding					
	of the mathematical approach.					
	Teacher materials provide insight into students' ways of					
13	thinking with respect to important mathematical					
13	concepts, especially anticipating a variety of student					
	responses.					
	Materials contain strategies for informing parents or					
14	caregivers about the mathematics program and					
14	suggestions for how they can help support student					
	progress and achievement.					

Section	2: All Content Review			
PUBLISH	ERS/PROVIDERS:			
	Content Review tab will be completed solely by the review	•	·	core
	he material based on their overall review of the material.			
	aterial will be scored for alignment with each criterion as "	Meets expe	ectations", "Partially meets expectations", or	
	not meet expectations".		Required: Reviewer's Evidence from Material	
Criteria #	All Content Criteria Review	Score	Include where you found the evidence in the material and what evidence you found that supports your score.	Comments, citations, notes
	REA 1: COHERENCE			
	onal materials are coherent and consistent with the New		ntent Standards	
that all s	students should study in order to be college- and career-re	eady.		
1	Instructional materials address the full content contained in the standards for all students by grade level.			
2	Instructional materials support students to show mastery of each standard.			
3	Instructional materials require students to engage at a level of maturity appropriate to the grade level under			
	review.			
4	Instructional materials are coherent, making meaningful connections for students by linking the standards within			
	a lesson and unit.			
	REA 2: WELL-DESIGNED LESSONS			
Instructi	onal materials take into account effective lesson structure	and pacin	g. 	
	The Teacher Edition presents learning progressions to provide an overview of the scope and sequence of skills			
5	and concepts. The design of the assignments shows a			
	purposeful sequencing of teaching and learning			
	expectations.			
	Within each lesson of the instructional materials, there			
6	are clear, measurable, standards-aligned content			
	objectives.			
7	Within each lesson of the instructional materials, there are clear, measurable language objectives tied directly			
	to the content objectives.			
8	Instructional materials provide focused resources to support students' acquisition of both general academic			
	vocabulary and content-specific vocabulary.			
	The visual design of the instructional materials (whether			
9	in print or digital) maintains a consistent layout that supports student engagement with the subject.			
10	Instructional materials incorporate features that aid			
	students and teachers in making meaning of the text.			
11	Instructional materials provide students with ongoing review and practice for the purpose of retaining			
FOCUS A	previously acquired knowledge. REA 3: RESOURCES FOR PLANNING			
	onal materials provide teacher resources to support plant	ning learni	ng	
	erstanding of the New Mexico Content Standards.	iiig, icaiiii	''b'	
	Instructional materials provide a list of lessons in the			
	Teacher Edition (in print or clearly distinguished/			
12	accessible as a teacher's edition in digital materials),			
12	cross-referencing the standards addressed and providing			
	an estimated instructional time for each lesson, chapter, and unit.			
	Instructional materials support teachers with			
13	instructional strategies to help guide students' academic development.			
	Instructional materials include a teacher edition/			
	teacher-facing material with useful annotations and			
14	suggestions on how to present the content in the			
	student edition/student-facing material and in the			

15	Instructional materials integrate opportunities for digital learning, including interactive digital components.			
	REA 4: ASSESSMENT			
	onal materials offer teachers a variety of assessment reso		tools	
to collect	t ongoing data about student progress related to the stan Instructional materials provide a variety of assessments	aaras.		
	that measure student progress in all strands of the			
16	standards for the content under review.			
	(Adopted New Mexico Content Standards for 2024: NM			
	STEM Ready Science Standards)			
	Instructional materials provide multiple formative and			
17	summative assessments, clearly defining which			
17	standards are being assessed through content and			
	language objectives.			
	Instructional materials provide scoring guides for			
	assessments that are aligned with the standards they			
18	address, and that offer teachers guidance in interpreting			
	student performance and suggestions for further			
	instruction, differentiation, and/or acceleration. Instructional materials provide appropriate assessment			
	alternatives for English Learners, Culturally and			
19	Linguistically Diverse students, advanced students, and			
	special needs students.			
	Instructional materials include opportunities to assess			
20	student understanding and knowledge of the standards			
	using technology.			
	REA 5: EXTENSIVE SUPPORT	_		
Instruction	onal materials give all students extensive opportunities a	nd support	to explore key concepts.	
21	Instructional materials can be customized or adapted to			
	meet the needs of different student populations. Instructional materials provide differentiated strategies			
22	and/or activities to meet the needs of students working			
	below proficiency and those of advanced learners.			
	Instructional materials provide appropriate linguistic			
	support for English Learners and Culturally and			
22	Linguistically Diverse students, and accommodations			
23	and modifications for other special populations that will			
	support their regular and active participation in learning			
	content.			
	Instructional materials provide strategies and resources			
	for teachers to inform and engage parents, family			
24	members, and caregivers of all learners about the			
	program and provide suggestions for how they can help			
	support student progress and achievement. Instructional materials include opportunities for all			
	students that encourage and support critical and			
25	creative thinking, inquiry, and complex problem-solving			
	skills.			
FOCUS A	REA 6: CULTURAL AND LINGUISTIC PERSPECTIVES			
Instruction	onal materials represent a variety of cultural and linguisti	c perspecti	ves.	
	Instructional materials inform culturally and linguistically			
26	responsive pedagogy by affirming students' backgrounds			
	in the materials themselves and in the student			
	discussions.			
	Instructional materials provide a collection of images,			
27	stories, and information, representing a broad range of demographic groups, and do not make generalizations			
	or reinforce stereotypes.			
	Instructional materials provide context, illustrations, and			
	activities for students to make interdisciplinary			
28	connections and/or connections to real-life experiences			
	and diverse cultural and linguistic backgrounds.			
FOCUS A	REA 7: INCLUSION OF CULTURALLY AND LINGUISTICALLY F	RESPONSIV	E LENS	
Instruction	onal materials highlight diversity in culture and language	through m	ultiple perspectives.	

29	Instructional materials include tools and resources to relate the content area appropriately to diversity in		
	culture and language.		
30	Instructional materials include tools and resources that		
	demonstrate multiple perspectives in a specific concept.		
	Instructional materials engage students in critical		
31	reflection about their own lives and societies, including		
	cultures past and present in New Mexico.		
	Instructional materials address multiple ethnic		
32	descriptions, interpretations, or perspectives of events		
	and experiences.		

Stan	dards for Mathematical Practice
1	Make sense of problems and persevere in solving them.
2	Reason abstractly and quantitatively.
3	Construct viable arguments and critique the reasoning of others.
4	Model with mathematics.
5	Use appropriate tools strategically.
6	Attend to precision.
7	Look for and make use of structure.
8	Look for and express regularity in repeated reasoning.