

F.24 - High School Financial Literacy

PUBLISHER/PROVIDER MATERIAL INFORMATION (TO BE COMPLETED BY PUBLISHER/PROVIDER)						
Publisher/Provider Name/Imprint:		Grade(s):				
Title of Student Edition:		Student Edition ISBN:				
Title of Teacher Edition:		Teacher Edition ISBN:				
Title of SE Workbook:		SE Workbook ISBN:				

PUBLISHER/PROVIDER CITATION VIDEO: Reviewer must view video before starting the review of this set of materials.					
Citation Video Link:					
Citation video certification.	I certify that I have viewed the citation set of materials.	n video for this specific publisher and			
Digital Material Log In: (Include ONLY if submitting digital materials as part of the review set listed above.)	Website:	Username:	Password:		

Section 1: Standards Review -- Math Content Standards PUBLISHER/PROVIDER INSTRUCTIONS: • Publisher/Provider citations for this section will refer to the Teacher Edition (teacher-facing core material). The cited Teacher Edition should correspond with the title and ISBN entered on the Form F cover page, whether in print, online, or both The review set submitted to the summer review institute should also correspond with what is cited on the Form F. If the review set is an online platform only, then that is what should be cited on the Form F and submitted for review by the review teams. If the review set is in print only, then that is what should be cited on the Form F and submitted for review by the review teams. • For this section, the publisher/provider will enter one citation per math content standard in Column D. Each citation should direct the reviewer to a specific location in the materials that best meets the standard. The citations should concise and should allow the reviewer to easily determine that all components of the standard have been met. Each citation should cover no more than 3 pa es within the materials. o Column D: Enter one citation in Column D from the Teacher Edition (teacher Facing core material). Each citation should direct the reviewer to a specific location in the materials that best meets the standard. If necessary, you may enter multiple, targeted citations in order to address standards with multiple components. Use as few citations as needed to meet the full intent of the standard. Your citations should be concise and should allow the reviewer to easily determine that the full intent and all components of the standard have been met o Column E: The material will be scored for alignment with each standard as "Meets expectations", "Partially meets expectations", or "Does not meet expectations" based on the citation provided. o NOTE: You may not use a citation more than once across ALL sections of the rubric. Reviewer Citation from Student Edition/Workbook r/Provider Citation from Teacher Edition Criteria If Scored D: Reviewer's Evidence for Publisher Citation Standard F.24 High School Financial Literacy Standards Review Score Required: Reviewer's Evidence Score Comments, other citations, notes # HS.N-RN The Real N er Syste Cluster: Extend the properties of exponents to rational exponents. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those 1 N.RN.1 values, allowing for a notation for radicals in terms of rational exponents. For example, we define 5¹/³ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $5^{(1/3)3}$ must equal 5 Rewrite expressions involving radicals and rational exponents using 2 N RN 2 the properties of exponents. s of rational and irrational numbers. Cluster Use properti Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is 3 N.RN.3 rrational; and that the product of a nonzero rational number and an irrational number is irrational DOMAIN: HS.N-Q Quantities Cluster: Reason gu ntitatively and use units to solve problems. Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in Δ N O 1 formulas; choose and interpret the scale and the origin in graphs and data displays. Define appropriate quantities for the purpose of descriptive 5 N.Q.2 modeling. Choose a level of accuracy appropriate to limitations on 6 N.Q.3 measurement when reporting quantities. DOMAIN: HS.A-SSE Se ing Structure in Expressions Cluster: Interpret the structure of expressions. Interpret expressions that represent a quantity in terms of its 7 A.SSE.1 context. ★ terpret parts of an expression, such as terms, factors, and 8 A.SSE.1.a coefficients. nterpret complicated expressions by viewing one or more of their 9 A.SSE.1.b parts as a single entity. For example, interpret P(1+r)ⁿ as the product of P and a factor not depending on P. Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$. 10 A.SSE.2 Cluct s in equivalent forms to solve proble Choose and produce an equivalent form of an expression to reveal 11 A SSE 3 and explain properties of the quantity represented by the expression. ★ actor a quadratic expression to reveal the zeros of the function it 12 A.SSE.3.a defin<u>es</u>. Complete the square in a quadratic expression to reveal the 13 A.SSE.3.b maximum or minimum value of the function it defines. Use the properties of exponents to transform expressions for exponential functions. For example the expression 1.15^t can be A.SSE.3.c 14 ewritten as $(1.15^{1/l^2})^{12} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%. AIN: HS.A-APR Arith etic with Polynomials and Rational Expression Cluster: Perform arithmetic operations on polynomials. Inderstand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, 15 A.APR.1 subtraction, and multiplication; add, subtract, and multiply polynomials. ng Equatio IN: HS.A-CED Cluster: Create equations that describe numbers or relationships. create equations and inequalities in one variable and use them to 16 A.CED.1 solve problems. Include equations arising from linear and quadratic unctions, and simple rational and exponential functions Create equations in two or more variables to represent relationships 17 A.CED.2 between quantities; graph equations on coordinate axes with labels nd scales. Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. For example, represent 18 A.CED.3 nequalities describing nutritional and cost constraints on ombinations of different foods. Rearrange formulas to highlight a quantity of interest, using the 19 A.CED.4 same reasoning as in solving equations. For example, rearrange Dhm's law V = IR to highlight resistance R. DOMAIN: HS.A-REI Re ning with equations and inequalities Cluster: Understand solving equations as a process of reasoning and explain the reasoning. Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the A.REI.1 20 assumption that the original equation has a solution. Construct a viable argument to justify a solution method. s and inequalities in one variable. Cluster ve equ Solve linear equations and inequalities in one variable, including 21 A.REI.3

equations with coefficients represented by letters.

Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that

has the same solutions. Derive the quadratic formula from this for Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and

factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and

Solve quadratic equations in one variable.

vrite them as a ± bi for real numbers a and b.

22

23

24

Cluster: Solve syste

A.REI.4

A.REI.4.a

A.REI.4.b

of equations

		Prove that, given a system of two equations in two variables,					
25	A.REI.5	replacing one equation by the sum of that equation and a multiple					
		of the other produces a system with the same solutions.					
26	A.REI.6	Solve systems of linear equations exactly and approximately (e.g.,					
	A.NEI.U	with graphs), focusing on pairs of linear equations in two variables.					
		Solve a simple system consisting of a linear equation and a quadratic					
27	A.REI.7	equation in two variables algebraically and graphically. For example,					
		find the points of intersection between the line $y = -3x$ and the circle					
Churchan		$x^2 + y^2 = 3.$					
Cluster:	Represent and	solve equations and inequalities graphically.			I		
28	A.REI.10	Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a					
20	A.KEI.10	curve (which could be a line).					
		Explain why the x-coordinates of the points where the graphs of the					
		equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the					
		equation $f(x) = q(x)$; find the solutions approximately, e.g., using					
29	A.REI.11	technology to graph the functions, make tables of values, or find					
		successive approximations. Include cases where $f(x)$ and/or $g(x)$ are					
		linear, polynomial, rational, absolute value, exponential, and					
		logarithmic functions. ★					
		Graph the solutions to a linear inequality in two variables as a half-					
30	A.REI.12	plane (excluding the boundary in the case of a strict inequality), and					
		graph the solution set to a system of linear inequalities in two					
		variables as the intersection of the corresponding half-planes.					
		reting Functions					
Cluster:	Understand th	e concept of a function and use function notation.					
		Understand that a function from one set (called the domain) to					
		another set (called the range) assigns to each element of the domain					
31	F.IF.1	exactly one element of the range. If f is a function and x is an element of its domain, then f(x) denotes the output of f					
1		corresponding to the input x. The graph of f is the graph of the					
1		equation $y = f(x)$.					
		Use function notation, evaluate functions for inputs in their					
32	F.IF.2	domains, and interpret statements that use function notation in					
L		terms of a context.					
1		Recognize that sequences are functions, sometimes defined	T		T		
33	F.IF.3	recursively, whose domain is a subset of the integers. For example,					
1		the Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$, $f(n+1)$					
		$= f(n) + f(n-1)$ for $n \ge 1$.					
Cluster:	Interpret func	tions that arise in applications in terms of the context.					
		For a function that models a relationship between two quantities,					
		interpret key features of graphs and tables in terms of the					
34	F.IF.4	quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts;					
34	1	intervals where the function is increasing, decreasing, positive, or					
		negative; relative maximums and minimums; symmetries; end					
		behavior; and periodicity. ★					
		Relate the domain of a function to its graph and, where applicable,					
		to the quantitative relationship it describes. For example, if the					
35	F.IF.5	function h(n) gives the number of person-hours it takes to assemble n					
		engines in a factory, then the positive integers would be an					
		appropriate domain for the function. \star					
26		Calculate and interpret the average rate of change of a function					
36	F.IF.6	(presented symbolically or as a table) over a specified interval.					
Chuston	Analyza functi	Estimate the rate of change from a graph. *					
cluster:	Analyze functi	ons using different representations.		1			
37	F.IF.7	Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more					
37	F.IF.7	complicated cases. *					
		Graph linear and guadratic functions and show intercepts, maxima,					
38	F.IF.7.a	and minima.					
20	5.15.7 h	Graph square root, cube root, and piecewise-defined functions,					
39	F.IF.7.b	including step functions and absolute value functions.					
		Graph exponential and logarithmic functions, showing intercepts					
40	F.IF.7.e	and end behavior, and trigonometric functions, showing period,					
		midline, and amplitude.					
41	F.IF.8	Write a function defined by an expression in different but equivalent					
<u> </u>	-	forms to reveal and explain different properties of the function.					
~	F 15 0 -	Use the process of factoring and completing the square in a					
42	F.IF.8.a	quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context					
		the graph, and interpret these in terms of a context. Use the properties of exponents to interpret expressions for					
1		exponential functions. For example, identify percent rate of change					
43	F.IF.8.b			1		1	
1	1	[11] $[11]$					
		in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/0}$, and classify them as representing exponential growth or decay.					
		and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different					
		and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal					
44	F.IF.9	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function					
44	F.IF.9	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger					
		and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.					
DOMAIN	: HS.F-BF Build	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions					
DOMAIN Cluster:	: HS.F-BF Build Build a functio	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions n that models a relationship between two quantities.					
DOMAIN	: HS.F-BF Build	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions in that models a relationship between two quantities. Write a function that describes a relationship between two					
DOMAIN Cluster: 45	HS.F-BF Build Build a function F.BF.1	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★					
DOMAIN Cluster:	: HS.F-BF Build Build a functio	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for					
DOMAIN Cluster: 45	HS.F-BF Build Build a function F.BF.1	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★					
DOMAIN Cluster: 45 46	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions in that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context.					
DOMAIN Cluster: 45	HS.F-BF Build Build a function F.BF.1	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions n that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that function to a decaying exponential, and					
DOMAIN Cluster: 45 46	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions n that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by odding a constant function to a decaying exponential, and relate these functions to the model.					
DOMAIN Cluster: 45 46 47	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \star Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.					
DOMAIN Cluster: 45 46	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing functions in that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate					
DOMAIN Cluster: 45 46 47 48	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions n that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.★					
DOMAIN Cluster: 45 46 47 48	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2	and clossify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.★ tions from existing functions.					
DOMAIN Cluster: 45 46 47 48	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing functions in that models a relationship between two quantities. Write a function that describes a relationship between two quantities.★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.★ tions from existing functions. Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f					
DOMAIN Cluster: 45 46 47 48	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.★ tions from existing functions. Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f (kx), and f(x + k) for specific values of k (both positive and negative); f(x), and f(x + k) for specific values of k (both positive and negative);					
DOMAIN Cluster: 45 46 47 48	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2	and clossify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \star Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. \star tions from existing functions. Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f (kx), and f(x + k) for specific values of k (both positive and negative); Ind the value of k given the graphs. Experiment with cases and					
DOMAIN Cluster: 45 46 47 48 Cluster:	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2 Build new fun	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function ing functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \bigstar Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. \bigstar tions from existing functions. tions form existing functions. Itions form existing functions. Itions of the expaph of replacing $f(x)$ by $f(x) + k$, $k(x)$, $f(x)$, $h(x)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explication of the effects on the graph using					
DOMAIN Cluster: 45 46 47 48 Cluster:	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2 Build new fun	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. ★ Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.★ ctions from existing functions. Identify the effect on the graph of replacing f(x) by f(x) + k, kf(x), f (kx), and (f x+ k) for specific values of k (hoth positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph is main technology. Include recognizing even and add functions from their					
DOMAIN Cluster: 45 46 47 48 Cluster: 49	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2 Build new fun F.BF.3	and clossify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \bigstar Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions. \bigstar tions from existing functions. Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f (kx), and f(x + k) for specific values of k (both positive and negative); fund the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and add functions from their graphs and algebraic expressions for them.					
DOMAIN Cluster: 45 46 47 48 Cluster:	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2 Build new fun	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. ing Functions n that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \bigstar Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. \bigstar tions from existing functions. Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f (kx), and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them. Find inverse functions.					
DOMAIN Cluster: 45 46 47 48 Cluster: 49 50	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2 Build new fun F.BF.3	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \bigstar Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. \bigstar ctions from existing functions. Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $kf(x)$, f (kx), and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the efforts on the graph sugna technology. Include recognizing even and add functions from their graphs and algebraic expressions for them. Find inverse functions.					
DOMAIN Cluster: 45 46 47 48 Cluster: 49	: HS.F-BF Build Build a functio F.BF.1 F.BF.1a F.BF.1.b F.BF.2 Build new fun F.BF.3 F.BF.3	and clossify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \bigstar Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions. Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f (kx), and f(x + k) for specific values of k (both positive and negative); Ind the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and ad durations from their graphs and algebraic expressions for them. Find inverse functions. Solve an equation of the form f(x) = c for a simple function f that has an inverse and write an expression for the inverse. For example, f(x)					
DOMAIN Cluster: 45 46 47 48 Cluster: 49 50 51	: HS.F-BF Build Build a functio F.BF.1 F.BF.1.a F.BF.1.b F.BF.2 Build new fun F.BF.3 F.BF.4 F.BF.4	and classify them as representing exponential growth or decay. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Ing Functions In that models a relationship between two quantities. Write a function that describes a relationship between two quantities. \bigstar Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. \bigstar ctions from existing functions. Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $kf(x)$, f (kx), and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the efforts on the graph sugna technology. Include recognizing even and add functions from their graphs and algebraic expressions for them. Find inverse functions.					

Cluster:	Construct and	compare linear, quadratic, and exponential models and solve problem	ns.					
1		Distinguish between situations that can be modeled with linear						
52	F.LE.1	functions and with exponential functions.						
		Prove that linear functions grow by equal differences over equal						
53	F.LE.1.a	intervals, and that exponential functions grow by equal factors over						
		equal intervals.						
		Recognize situations in which one quantity changes at a constant						
54	F.LE.1.b	rate per unit interval relative to another.						
		Recognize situations in which a quantity grows or decays by a						
55	F.LE.1.c	constant percent rate per unit interval relative to another.						
		Construct linear and exponential functions, including arithmetic and						
56	F.LE.2	geometric sequences, given a graph, a description of a relationship,						
		or two input-output pairs (include reading these from a table).						
		Observe using graphs and tables that a quantity increasing						
57	F.LE.3	exponentially eventually exceeds a quantity increasing linearly,						
		quadratically, or (more generally) as a polynomial function.						
Cluster:	Interpret expr	essions for functions in terms of the situation they model.					,	
		Interpret the parameters in a linear or exponential function in terms						
58	F.LE.5	of a context.						
DOMAIN.	HS S-ID - Inte	rpreting Categorical and Quantitative Data	I I	1	1		1	1
		present, and interpret data on a single count or measurement variable						
ciuster.	Summarize, re	Represent data with plots on the real number line (dot plots,	e.				1	1
59	S.ID.1							
		histograms, and box plots).						
60	C 10 2	Use statistics appropriate to the shape of the data distribution to						
60	S.ID.2	compare center (median, mean) and spread (interquartile range,						
		standard deviation) of two or more different data sets.						
61	S.ID.3	Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points						
01	5.10.5	(outliers).						
Clustor	Summariza r	present, and interpret data on two categorical and quantitative varial	bloc					1
cluster:	Summarize, re		bles.			1	1	1
		Summarize categorical data for two categories in two-way frequency						
62	S.ID.5	tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies).						
		Recognize possible associations and trends in the data.						
63	S.ID.6	Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.						
		Fit a function to the data; use functions fitted to data to solve						
64	S.ID.6.a	problems in the context of the data. Use given functions or choose a						
		function suggested by the context. Emphasize linear, quadratic, and						
		exponential models. Informally assess the fit of a function by plotting and analyzing						
65	S.ID.6.b	residuals.						
66	S.ID.6.c	Fit a linear function for a scatter plot that suggests a linear						
		association.		 I			1	I
Cluster:	Interpret linea			1				1
67	S.ID.7	Interpret the slope (rate of change) and the intercept (constant						
	-	term) of a linear model in the context of the data.		 				
68	S.ID.8	Compute (using technology) and interpret the correlation coefficient						
		of a linear fit.						
69	S.ID.9	Distinguish between correlation and causation.		1	1	1	1	1

Section	2: Math Content Review			
PUBLISH	ERS/PROVIDERS:			
	ath Content Review tab will be completed solely by the rev		<i>·</i> ·	ir score
	he material based on their overall review of the material.		· · ·	
	aterial will be scored for alignment with each criterion as "	Meets expe	ectations", "Partially meets expectations", or	
	not meet expectations".		Required: Reviewer's Evidence from Material	
Criteria	Grades K-12 Math Content Criteria	Score	Include where you found the evidence in the material and what	Comments, citations, notes
#			evidence you found that supports your score.	
	REA 1: RIGOR AND MATHEMATICAL PRACTICES			
	s support student mastery through a grade-appropriate b			application.
Materia	s meaningfully connect the Content Standards (CCSS) with	h the Stand	lards for Mathematical Practice (SMPs).	[
	Conceptual Understanding:			
1	Materials support the intentional development of			
	students' conceptual understanding of key mathematical concepts.			
	Procedural Skill and Fluency:			
	Materials support intentional opportunities for students			
2	to develop procedural skills and fluencies in alignment			
	with what is called for in the grade-level standards.			
	Application:			
	Materials support students' ability to leverage			
3	mathematical skills, concepts, representations, and			
	strategies across a range of contexts, (including applying			
	learning to real-world situations and new contexts).			
	Balance of Rigor:			
	With equitable intensity			
4	The three aspects of rigor are not always treated			
	together and are not always treated separately. The three aspects are balanced with respect to the standards			
	being addressed in each grade level.			
	SMPs 1 and 6			
	Materials support the intentional development of			
5	making sense of problems and attending to precision as			
	required by the mathematical practice standards 1 and			
	6.			
	SMPs 2 and 3			
	Materials support the intentional development of			
6	reasoning abstractly and quantitatively, along with			
_	developing viable arguments and critiquing the			
	reasoning of others, in connection to the content			
-	standards, as required by the practice standards 2 and 3. SMPs 4 and 5			
	Materials support the intentional development of			
7	modeling and using tools, in connection to the content			
	standards, as required by the mathematical practice			
	standards, as required by the mathematical practice			
	SMPs 7 and 8			
	Materials support the intentional development of seeing			
8	structure and generalizing, in connection to the content			
	standards, as required by the mathematical practice			
	standards 7 and 8.			

FOCUS	AREA 2: STUDENT CENTERED INSTRUCTION			
Materia	Naterials contain embedded resources (routines, strategies, and pedagogical suggestions) to support all students in developing a positive			
mathen	nathematical identity, cultivating self-efficacy, and seeing themselves as a contributor to the math community.			
	Materials provide students with opportunities to			
9	develop self-efficacy and a positive mathematical			
9	identity through opportunities to engage in grade-level			
	tasks using various sharing strategies and approaches.			
10	Materials provide opportunities for students to see			
10	themselves as contributors to the math community.			

FOCUS A	REA 3: INSTRUCTIONAL SUPPORTS FOR ALL STAKEHOLDE	RS		
	s provide guidance and resources to support educators in			
	iated instruction to all students. Materials contain helpfu	resources	to support implementation and instruction (e.g. materi	als for
leaders,	teachers, students, families/ caregivers, etc).			
	Teacher materials contain full, adult-level explanations			
	and examples of the mathematics concepts within			
11	lessons so teachers can improve their own knowledge of			
	the subject. Materials are in print or clearly			
	distinguished/accessible as a teacher's edition in digital			
	materials.			
	The materials provide guidance for unit/lesson			
12	preparation to support use of the materials as intended			
12	and to further develop the teachers' own understanding			
	of the mathematical approach.			
	Teacher materials provide insight into students' ways of			
13	thinking with respect to important mathematical			
15	concepts, especially anticipating a variety of student			
	responses.			
	Materials contain strategies for informing parents or			
14	caregivers about the mathematics program and			
14	suggestions for how they can help support student			
	progress and achievement.			

Section	2: All Content Review			
PUBLISH	ERS/PROVIDERS:			
• The Al	I Content Review tab will be completed solely by the review	vers. They	will score each criterion and provide evidence for their sc	core
from t	he material based on their overall review of the material. Σ	/ou will not	provide any citations for this tab.	
• The m	aterial will be scored for alignment with each criterion as "	Meets expe	ectations", "Partially meets expectations", or	
"Does	not meet expectations".			
Criteria	All Content Criteria Baview	Casua	Required: Reviewer's Evidence from Material	
#	All Content Criteria Review	Score	Include where you found the evidence in the material and what evidence you found that supports your score.	Comments, citations, notes
FOCUS A	REA 1: COHERENCE			
	onal materials are coherent and consistent with the New	Mexico Coi	ntent Standards	
that all s	tudents should study in order to be college- and career-re	ady.		
	Instructional materials address the full content	-		
1	contained in the standards for all students by grade			
	level.			
2	Instructional materials support students to show			
2	mastery of each standard.			
	Instructional materials require students to engage at a			
3	level of maturity appropriate to the grade level under			
	review.			
	Instructional materials are coherent, making meaningful			
4	connections for students by linking the standards within			
	a lesson and unit.			
	REA 2: WELL-DESIGNED LESSONS			
Instructi	onal materials take into account effective lesson structure	and pacin	g.	
	The Teacher Edition presents learning progressions to			
-	provide an overview of the scope and sequence of skills			
5	and concepts. The design of the assignments shows a			
	purposeful sequencing of teaching and learning expectations.			
	Within each lesson of the instructional materials, there			
6	are clear, measurable, standards-aligned content			
0	objectives.			
	Within each lesson of the instructional materials, there			
7	are clear, measurable language objectives tied directly			
-	to the content objectives.			
	Instructional materials provide focused resources to			
8	support students' acquisition of both general academic			
	vocabulary and content-specific vocabulary.			
	The visual design of the instructional materials (whether			
9	in print or digital) maintains a consistent layout that			
	supports student engagement with the subject.			
10	Instructional materials incorporate features that aid			
10	students and teachers in making meaning of the text.			
	Instructional materials provide students with ongoing			
11	review and practice for the purpose of retaining			
	previously acquired knowledge.			
	REA 3: RESOURCES FOR PLANNING			
	onal materials provide teacher resources to support plan	ning, learni	ng,	
and und	erstanding of the New Mexico Content Standards.			
	Instructional materials provide a list of lessons in the			
	Teacher Edition (in print or clearly distinguished/			
12	accessible as a teacher's edition in digital materials), cross-referencing the standards addressed and providing			
	an estimated instructional time for each lesson, chapter,			
	and unit.			
	Instructional materials support teachers with			
13	instructional strategies to help guide students' academic			
	development.			
	Instructional materials include a teacher edition/			
	teacher-facing material with useful annotations and			
14	suggestions on how to present the content in the			
	student edition/student-facing material and in the			
	supporting material.			

-				
15	Instructional materials integrate opportunities for digital			
	learning, including interactive digital components.			
	AREA 4: ASSESSMENT			
	ional materials offer teachers a variety of assessment reso		tools	
to collec	ct ongoing data about student progress related to the stan	dards.		
	Instructional materials provide a variety of assessments			
	that measure student progress in all strands of the			
16	standards for the content under review.			
	(Adopted New Mexico Content Standards for 2024: NM			
	STEM Ready Science Standards)			
	Instructional materials provide multiple formative and			
17	summative assessments, clearly defining which			
	standards are being assessed through content and			
	language objectives.			
	Instructional materials provide scoring guides for			
18	assessments that are aligned with the standards they			
18	address, and that offer teachers guidance in interpreting			
	student performance and suggestions for further			
	instruction, differentiation, and/or acceleration.			
	Instructional materials provide appropriate assessment			
19	alternatives for English Learners, Culturally and			
	Linguistically Diverse students, advanced students, and			
	special needs students.			
20	Instructional materials include opportunities to assess			
20	student understanding and knowledge of the standards			
50000	using technology.			
	AREA 5: EXTENSIVE SUPPORT		to surface here concerts	
Instruct	ional materials give all students extensive opportunities and	ia support	to explore key concepts.	
21	Instructional materials can be customized or adapted to			
	meet the needs of different student populations.			
22	Instructional materials provide differentiated strategies			
	and/or activities to meet the needs of students working below proficiency and those of advanced learners.			
	Instructional materials provide appropriate linguistic			
	support for English Learners and Culturally and			
	Linguistically Diverse students, and accommodations			
23	and modifications for other special populations that will			
	support their regular and active participation in learning			
	content.			
	Instructional materials provide strategies and resources			
	for teachers to inform and engage parents, family			
24	members, and caregivers of all learners about the			
	program and provide suggestions for how they can help			
	support student progress and achievement.			
	Instructional materials include opportunities for all			
	students that encourage and support critical and			
25	creative thinking, inquiry, and complex problem-solving			
	skills.			
FOCUS A	AREA 6: CULTURAL AND LINGUISTIC PERSPECTIVES			
Instruct	ional materials represent a variety of cultural and linguisti	c perspecti	ves.	
	Instructional materials inform culturally and linguistically			
26	responsive pedagogy by affirming students' backgrounds			
20	in the materials themselves and in the student			
	discussions.			
	Instructional materials provide a collection of images,			
27	stories, and information, representing a broad range of			
21	demographic groups, and do not make generalizations			
	or reinforce stereotypes.			
	Instructional materials provide context, illustrations, and			
20	activities for students to make interdisciplinary			
28	connections and/or connections to real-life experiences			
	and diverse cultural and linguistic backgrounds.			
FOCUS A	AREA 7: INCLUSION OF CULTURALLY AND LINGUISTICALLY F	ESPONSIV	E LENS	
Instruct	ional materials highlight diversity in culture and language	through m	ultiple perspectives.	

29	Instructional materials include tools and resources to relate the content area appropriately to diversity in		
30	culture and language. Instructional materials include tools and resources that demonstrate multiple perspectives in a specific concept.		
31	Instructional materials engage students in critical reflection about their own lives and societies, including cultures past and present in New Mexico.		
32	Instructional materials address multiple ethnic descriptions, interpretations, or perspectives of events and experiences.		

Stan	Standards for Mathematical Practice				
1	Make sense of problems and persevere in solving them.				
2	Reason abstractly and quantitatively.				
3	Construct viable arguments and critique the reasoning of others.				
4	Model with mathematics.				
5	Use appropriate tools strategically.				
6	Attend to precision.				
7	Look for and make use of structure.				
8	Look for and express regularity in repeated reasoning.				