

## F.7 - Grade 7 Math

PUBLISHER/PROVIDER MATERIAL INFORMATION (TO BE COMPLETED BY PUBLISHER/PROVIDER)						
Publisher/Provider Name/Imprint:		Grade(s):				
Title of Student Edition:		Student Edition ISBN:				
Title of Teacher Edition:		Teacher Edition ISBN:				
Title of SE Workbook: SE Workbook ISBN:						

PUBLISHER/PROVIDER CITATION VIDEO: Reviewer must view video before starting the review of this set of materials.					
Citation Video Link:					
Citation video certification:	I certify that I have viewed the citation set of materials.				
Digital Material Log In: (Include ONLY if submitting digital materials as part of the review set listed above.)	Website:	Username:	Password:		

## Section 1: Standards Review -- Math Content Standards PUBLISHER/PROVIDER INSTRUCTIONS:

PUBLISHER/PROVIDER INSTRUCTIONS:

• Publisher/Provider citations for this section will refer to the Teacher Edition (teacher-Edition (teacher-Edition (teacher-Edition should correspond with the title and ISBN entered on the Form F cover page, whether in print, online, or both. The review set submitted to the summer review institute should also correspond with what is cited on the Form F. If the review set is an online platform only, then that is what should be cited on the Form F and submitted for review by the review teams.

• For this section, the publisher/provider will enter one citation per math content standard in Column D. Each citation should direct the reviewer to a specific location in the materials that best meets the standard. The citations should be concise and should allow the reviewer to easily determine that all components of the standard have been met. Each citation should cover no more than 3 pages within the materials.

• Column D: Enter one citation in Column D from the Teacher Edition (teacher-facing core material). Each citation should direct the reviewer to a specific location in the materials that best meets the standard. If necessary, you may enter multiple, targeted citations in order to address standards with multiple components. Use as few citations in one the full intent of the standard. Your citations should allow the reviewer to easily determine that the full intent and all components of the standard have been met.

• Column E: The material will be scored for alignment with each standard as "Meets expectations", "Partially meets expectations" or "Does not meet expectations" based on the citation provided.

0 C	olumn E: The	material will be scored for alignment with each standard as "Meets expe	ectations", "Partially meets expect o NOTE: You may not use a						
Criteria	Standard	F.7 Grade 7 Math Standards Review	Publisher/Provider Citation from Teacher Edition	Score	If Scored D: Reviewer's Evidence for Publisher Citation	Reviewer Citation from Student Edition/Workbook	Score	Required: Reviewer's Evidence	Comments, other citations, notes
DOMAIN	: 7.RP - Ratios	and Proportional Relationships	reacties Edition		ioi rubisilei Citation	Edition, Workbook			
Cluster:	Analyze propo	ortional relationships and use them to solve real-world and mathemat	cal problems.		,				
		Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or							
1	7.RP.1	different units. For example, if a person walks 1/2 mile in each 1/4							
		hour, compute the unit rate as the complex fraction 1/2 / 1/4 miles per							
		hour, equivalently 2 miles per hour.  Recognize and represent proportional relationships between							
2	7.RP.2	quantities.							
		Decide whether two quantities are in a proportional relationship, e.							
3	7.RP.2.a	g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line							
		through the origin.							
4	7.RP.2.b	Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional							
4	7.RF.2.D	relationships.							
		Represent proportional relationships by equations. For example, if							
5	7.RP.2.c	total cost t is proportional to the number n of items purchased at a constant price p, the relationship between the total cost and the							
		number of items can be expressed as t = pn.							
6	7.RP.2.d	Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention							
	71111214	to the points (0, 0) and (1, r) where r is the unit rate.							
		Use proportional relationships to solve multistep ratio and percent							
7	7.RP.3	problems. Examples: simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease,							
		percent error.							
	7.NS - The Nu	•	mak mulkinka ngalakalah mak	l mount					
ciuster:	Apply and ext	end previous understandings of operations with fractions to add, subt Apply and extend previous understandings of addition and	ract, multiply, and divide rationa	numbers.					
8	7.NS.1	subtraction to add and subtract rational numbers; represent							
		addition and subtraction on a horizontal or vertical number line diagram.							
		Describe situations in which opposite quantities combine to make 0.							
9	7.NS.1.a	For example, a hydrogen atom has 0 charge because its two							
		constituents are oppositely charged.  Understand $p + q$ as the number located a distance $ q $ from $p$ , in					1		
		the positive or negative direction depending on whether $q$ is positive							
10	7.NS.1.b	or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by							
		describing real-world contexts.							
		Understand subtraction of rational numbers as adding the additive							
11	7.NS.1.c	inverse, $p - q = p + (-q)$ . Show that the distance between two rational numbers on the number line is the absolute value of their							
		difference, and apply this principle in real-world contexts.							
12	7.NS.1.d	Apply properties of operations as strategies to add and subtract rational numbers.							
13	7.NS.2	Apply and extend previous understandings of multiplication and					<u> </u>		
13	7.NS.2	division and of fractions to multiply and divide rational numbers.							
		Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the							
14	7.NS.2.a	properties of operations, particularly the distributive property,							
		leading to products such as (-1)(-1) = 1 and the rules for multiplying signed numbers. Interpret products of rational numbers by							
		describing real-world contexts.							
		Understand that integers can be divided, provided that the divisor is							
15	7.NS.2.b	not zero, and every quotient of integers (with non-zero divisor) is a rational number. If $p$ and $q$ are integers, then $-(p/q) = (-p)/q = p/(-p)$							
		q). Interpret quotients of rational numbers by describing real- world							
<u> </u>		contexts.  Apply properties of operations as strategies to multiply and divide		+			-		
16	7.NS.2.c	rational numbers.							
17	7 NE 2 4	Convert a rational number to a decimal using long division; know							
17	7.NS.2.d	that the decimal form of a rational number terminates in 0s or eventually repeats.							
18	7.NS.3	Solve real-world and mathematical problems involving the four							
		operations with rational numbers.							<u> </u>
		s of operations to generate equivalent expressions.							
19	7.EE.1	Apply properties of operations as strategies to add, subtract, factor,							
_		and expand linear expressions with rational coefficients.  Understand that rewriting an expression in different forms in a		+			_		
20	7.EE.2	problem context can shed light on the problem and how the							
		quantities in it are related. For example, a + 0.05a = 1.05a means that "increase by 5%" is the same as "multiply by 1.05."							
Cluster:	Solve real-life	and mathematical problems using numerical and algebraic expression	s and equations.			<u> </u>			<u> </u>
		Solve multi-step real-life and mathematical problems posed with							
		positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of							
		operations to calculate with numbers in any form; convert between							
		forms as appropriate; and assess the reasonableness of answers							
21	7.EE.3	using mental computation and estimation strategies. For example: If a woman making \$25 an hour gets a 10% raise, she will make an							
		additional 1/10 of her salary an hour, or \$2.50, for a new salary of							
		\$27.50. If you want to place a towel bar 9 3/4 inches long in the center of a door that is 27 1/2 inches wide, you will need to place the							
		bar about 9 inches from each edge; this estimate can be used as a							
		check on the exact computation.		-			-		
22	7.EE.4	Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve							
		problems by reasoning about the quantities.							

		Solve word problems leading to equations of the form $px + q = r$ and				
		p(x+q) = r, where $p$ , $q$ , and $r$ are specific rational numbers. Solve				
23	7.EE.4.a	equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations				
		used in each approach. For example, the perimeter of a rectangle is				
		54 cm. Its length is 6 cm. What is its width?				
		Solve word problems leading to inequalities of the form px + q > r or				
		px + q < r, where p, q, and r are specific rational numbers. Graph the				
24	7.EE.4.b	solution set of the inequality and interpret it in the context of the problem. For example: As a salesperson, you are paid \$50 per week				
	7.55.4.0	plus \$3 per sale. This week you want your pay to be at least \$100.				
		Write an inequality for the number of sales you need to make, and				
		describe the solutions.				
	: 7.G - Geome					
Cluster:	Draw, constru	ct, and describe geometrical figures and describe the relationships be	tween them.			
25	7.G.1	Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing				
25	7.0.1	and reproducing a scale drawing at a different scale.				
		Draw (freehand, with ruler and protractor, and with technology)				
		geometric shapes with given conditions. Focus on constructing				
26	7.G.2	triangles from three measures of angles or sides, noticing when the				
		conditions determine a unique triangle, more than one triangle, or no triangle.				
		Describe the two-dimensional figures that result from slicing three-				
27	7.G.3	dimensional figures, as in plane sections of right rectangular prisms				
		and right rectangular pyramids.				
Cluster:	Solve real-life	and mathematical problems involving angle measure, area, surface at	rea, and volume.		Г	
28	7.G.4	Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the				
		relationship between the circumference and area of a circle.				
		Use facts about supplementary, complementary, vertical, and				
29	7.G.5	adjacent angles in a multi-step problem to write and solve simple				
		equations for an unknown angle in a figure.  Solve real-world and mathematical problems involving area, volume		+		
30	7.G.6	and surface area of two- and three-dimensional objects composed of				
		triangles, quadrilaterals, polygons, cubes, and right prisms.				
		cs and Probability				
Cluster:	Use random s	ampling to draw inferences about a population.		1		
		Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations				
24	7.504	about a population from a sample are valid only if the sample is				
31	7.SP.1	representative of that population. Understand that random				
		sampling tends to produce representative samples and support valid				
		Use data from a random sample to draw inferences about a		+		
		population with an unknown characteristic of interest. Generate				
		multiple samples (or simulated samples) of the same size to gauge				
32	7.SP.2	the variation in estimates or predictions. For example, estimate the				
		mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly				
		sampled survey data. Gauge how far off the estimate or prediction				
		might be.				
Cluster:	Draw informa	I comparative inferences about two populations.				
		Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference				
22	7 502	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball				
33	7.SP.3	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer				
33	7.SP.3	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either				
33	7.SP.3	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of				
33	7.SP.3	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either				
		between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences				
33	7.SP.3 7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a				
		between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 am greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than				
34	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a				
34	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book acceptored as ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number				
34	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a fourth-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event				
34	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the bosketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability				
34 Cluster:	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a fourth-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event				
34 Cluster:	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketboll team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely on likely, and a probability near 1 indicates as a leither variable.				
34 Cluster:	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on				
34 Cluster:	7.SP.4  Investigate ch	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a fourth-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unilkely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run				
34 Cluster:	7.SP.4	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on				
34 Cluster:	7.SP.4  Investigate ch	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book. Because of the content of a chapter of a fourth-grade science book are acceptoresses and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates alkely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 of 8 would be rolled roughly 200 times, but				
34 Cluster:	7.SP.4  Investigate ch	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probabily not exactly 200 times.				
34 Cluster: 35	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dat plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability wear 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probability not exactly 200 times.				
34 Cluster:	7.SP.4  Investigate ch	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probabily not exactly 200 times.				
34 Cluster: 35	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates alkely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probability for exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.				
34 Cluster: 35	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probabil not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.				
34 Cluster: 35 36	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  Ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability mar of indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a uniform probability model by assigning equal probability of all outcomes, and use the model to determine probabilities of				
34 Cluster: 35	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probabil not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.				
34 Cluster: 35 36	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketboll team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unilkely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency, given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probabil to exactly 200 times.  Develop a probability model by assigning equal probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability model by assigning equal probability of events. For example, if a student is selected at random from a class, find the probability that a girl will be selected.				
34 Cluster: 35 36	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates all will be probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 of 8 would be rolled roughly 200 times, but probability model and use it to find probabilities of events. Compare probability model and use it to find probabilities of the discrepancy. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probability to a loutcomes, and use the model to determine probability to a loutcomes, and use the model to determine probability to a loutcomes, and use the model to determine probability that a girl will be selected.				
34  Cluster:  35  36  37	7.SP.4 Investigate ch 7.SP.5 7.SP.6 7.SP.7	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probability to events. For example, deleterd and the probability that a medium by estected and the probability that and will be selected and random from a class, find the p				
34 Cluster: 35 36	7.SP.4 Investigate ch 7.SP.5 7.SP.6	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  Junderstand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely event, a probability around 1/2 indicates an event that is neither unlikely event, a probability nound 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates alikely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 of a would be rolled roughly 200 times, but probability not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability model we the determine probability that a gin will be selected.  Develop a probability model we the determine probability that a gill will be selected.				
34  Cluster:  35  36  37	7.SP.4 Investigate ch 7.SP.5 7.SP.6 7.SP.7	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketboll team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unilkely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency, given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probabily not exactly 200 times.  Develop a probability noted in use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. For example, find the approximate probability that a spinning penny will land heads up or that a tassed paper cup will land open-end down. Do the outcomes for the spinning penny will land beads up or that a tassed paper cup will land open-end down.				
34  Cluster:  35  36  37	7.SP.4 Investigate ch 7.SP.5 7.SP.6 7.SP.7	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates alkely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 of a would be rolled roughly 200 times, but probability model and use it to find probabilities of events. Company probability model and use it to find probabilities of revents. Company probability model and use it to find probability to events. Sor example, if a student is selected and the probability that a girl will be selected.  Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. For example, if a student is selected and the probability that a girl will be selected.				
34  Cluster:  35  36  37	7.SP.4 Investigate ch 7.SP.5 7.SP.6 7.SP.7	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability from absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability model and use it to find probabilities of events. Compare probability model was to to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability that of an exility of the probability had a spinning penny w				
34  Cluster: 35  36  37  38	7.SP.4  Investigate ch 7.SP.5  7.SP.6  7.SP.7  7.SP.7.a	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely event, a probability around 1/2 indicates an indicates are sent that is neither unlikely nor likely, and a probability near 1 indicates alkely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probability that a given when the probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability model and use it to find probabilities of events. For example, if a student is selected at random from a class, find the probability model which may not be uniform) by observing frequenci				
34  Cluster: 35  36  37  38	7.SP.4  Investigate ch 7.SP.5  7.SP.6  7.SP.7  7.SP.7.a	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models.  Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability model and use it to find probabilities of events. For example, if a student is selected at random from a class, find the probability that on similar probability that and inform probability that an inform probability that an inform probability that an inform probabi				
34  Cluster:  35  36  37  38  39	7.SP.4  Investigate ch 7.SP.5  7.SP.6  7.SP.7  7.SP.7.a  7.SP.7.b	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 of 6 would be rolled roughly 200 times, but probability model and use it to find probabilities of events. For example, if observed is not good, explain possible sources of the discrepancy.  Develop a probability model and use it to find probabilities of events. For example, if of sudant is selected and the probability that a girl will be selected.  Develop a probability model we that to septimal possible sources of the discrepancy.  Povelop a probability model (which may not be uniform) by ob				
34  Cluster:  35  36  37  38  39  40  41	7.SP.4  Investigate ch 7.SP.5  7.SP.6  7.SP.7  7.SP.7.a  7.SP.7.b  7.SP.8.a	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability finean absolute deviation) on either team; on a dot plat, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  **ance processes and develop, use, and evaluate probability models.***  **Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and precide the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probabily not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  Develop a probability model and use it to find probabilities of events. For example, if a student is selected at random from a class, find the probability that ane will be selected and the probability that a girl will be selected.  Develop a probability that Jane will be select				
34  Cluster:  35  36  37  38  39	7.SP.4  Investigate ch 7.SP.5  7.SP.6  7.SP.7  7.SP.7.a  7.SP.7.b	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  ance processes and develop, use, and evaluate probability models. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 of 6 would be rolled roughly 200 times, but probability model and use it to find probabilities of events. For example, if observed is not good, explain possible sources of the discrepancy.  Develop a probability model and use it to find probabilities of events. For example, if of sudant is selected and the probability that a girl will be selected.  Develop a probability model we that to septimal possible sources of the discrepancy.  Povelop a probability model (which may not be uniform) by ob				
34  Cluster:  35  36  37  38  39  40  41	7.SP.4  Investigate ch 7.SP.5  7.SP.6  7.SP.7  7.SP.7.a  7.SP.7.b  7.SP.8.a	between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book are generally longer than the words in a chapter of a fourth-grade science book are generally longer than the words in a chapter of a fourth-grade science book.  Inderstand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring, Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probability for exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probability model by assigning equal probability to all outcomes, and use the model to determine probability that a girl will be selected.  Develop a probability model which may not be uniform) by observing frequencies in data generated from a				

		Design and use a simulation to generate frequencies for compound				
		events. For example, use random digits as a simulation tool to				
43	7.SP.8.c	approximate the answer to the question: If 40% of donors have type				
		A blood, what is the probability that it will take at least 4 donors to				
		find one with type A blood?				

C4:	2. Math Cantant Daview			
	2: Math Content Review			
	ERS/PROVIDERS:			
	ath Content Review tab will be completed solely by the rev			r score
	ne material based on their overall review of the material. Y		•	
• The ma	aterial will be scored for alignment with each criterion as "I	Meets expe	ectations", "Partially meets expectations", or	
"Does	not meet expectations".			
Criteria			Required: Reviewer's Evidence from Material	
#	Grades K-12 Math Content Criteria	Score	Include where you found the evidence in the material and what	Comments, citations, notes
			evidence you found that supports your score.	
	REA 1: RIGOR AND MATHEMATICAL PRACTICES			p
	s support student mastery through a grade-appropriate ba			application.
Material	s meaningfully connect the Content Standards (CCSS) with	tne Stand	ards for Mathematical Practice (SMPs).	
	Conceptual Understanding:			
1	Materials support the intentional development of			
	students' conceptual understanding of key mathematical			
	concepts.			
	Procedural Skill and Fluency:			
2	Materials support intentional opportunities for students			
_	to develop procedural skills and fluencies in alignment			
	with what is called for in the grade-level standards.			
	Application:			
	Materials support students' ability to leverage			
3	mathematical skills, concepts, representations, and			
	strategies across a range of contexts, (including applying			
	learning to real-world situations and new contexts).			
	Balance of Rigor:			
	With equitable intensity			
4	The three aspects of rigor are not always treated			
4	together and are not always treated separately. The			
	three aspects are balanced with respect to the standards			
	being addressed in each grade level.			
	SMPs 1 and 6			
	Materials support the intentional development of			
5	making sense of problems and attending to precision as			
	required by the mathematical practice standards 1 and			
	6.			
	SMPs 2 and 3			
	Materials support the intentional development of			
_	reasoning abstractly and quantitatively, along with			
6	developing viable arguments and critiquing the			
	reasoning of others, in connection to the content			
	standards, as required by the practice standards 2 and 3.			
	SMPs 4 and 5			
	Materials support the intentional development of			
7	modeling and using tools, in connection to the content			
	standards, as required by the mathematical practice			
	standards 4 and 5.			
	SMPs 7 and 8			
	Materials support the intentional development of seeing			
8	structure and generalizing, in connection to the content			
_	standards, as required by the mathematical practice			
	standards 7 and 8.			
FOCUS A	REA 2: STUDENT CENTERED INSTRUCTION			
	s contain embedded resources (routines, strategies, and p	edagogical	suggestions) to support all students in developing a no	sitive
	atical identity, cultivating self-efficacy, and seeing themse			Sitive
atrieni	Materials provide students with opportunities to	ives as a cc	main community.	
	develop self-efficacy and a positive mathematical			
9	identity through opportunities to engage in grade-level			
	tasks using various sharing strategies and approaches.			
10	Materials provide opportunities for students to see			
	themselves as contributors to the math community.			

FOCUS A	REA 3: INSTRUCTIONAL SUPPORTS FOR ALL STAKEHOLDER	RS				
	Materials provide guidance and resources to support educators in internalizing the mathematical content and providing responsive and					
	differentiated instruction to all students. Materials contain helpful resources to support implementation and instruction (e.g. materials for					
leaders,	teachers, students, families/ caregivers, etc).					
	Teacher materials contain full, adult-level explanations					
	and examples of the mathematics concepts within					
11	lessons so teachers can improve their own knowledge of					
	the subject. Materials are in print or clearly					
	distinguished/accessible as a teacher's edition in digital					
	materials.					
	The materials provide guidance for unit/lesson					
12	preparation to support use of the materials as intended					
12	and to further develop the teachers' own understanding					
	of the mathematical approach.					
	Teacher materials provide insight into students' ways of					
13	thinking with respect to important mathematical					
13	concepts, especially anticipating a variety of student					
	responses.					
	Materials contain strategies for informing parents or					
14	caregivers about the mathematics program and					
14	suggestions for how they can help support student					
	progress and achievement.					

Section	2: All Content Review			
PUBLISH	ERS/PROVIDERS:			
	Content Review tab will be completed solely by the review	•	·	core
	he material based on their overall review of the material.			
	aterial will be scored for alignment with each criterion as "	Meets expe	ectations", "Partially meets expectations", or	
	not meet expectations".		Required: Reviewer's Evidence from Material	
Criteria #	All Content Criteria Review	Score	Include where you found the evidence in the material and what evidence you found that supports your score.	Comments, citations, notes
	REA 1: COHERENCE			
	onal materials are coherent and consistent with the New		ntent Standards	
that all s	students should study in order to be college- and career-re	eady.		
1	Instructional materials address the full content contained in the standards for all students by grade level.			
2	Instructional materials support students to show mastery of each standard.			
3	Instructional materials require students to engage at a level of maturity appropriate to the grade level under			
	review.			
4	Instructional materials are coherent, making meaningful connections for students by linking the standards within			
	a lesson and unit.			
	REA 2: WELL-DESIGNED LESSONS			
Instructi	onal materials take into account effective lesson structure	and pacin	g. 	
	The Teacher Edition presents learning progressions to provide an overview of the scope and sequence of skills			
5	and concepts. The design of the assignments shows a			
	purposeful sequencing of teaching and learning			
	expectations.			
	Within each lesson of the instructional materials, there			
6	are clear, measurable, standards-aligned content			
	objectives.			
7	Within each lesson of the instructional materials, there are clear, measurable language objectives tied directly			
	to the content objectives.			
8	Instructional materials provide focused resources to support students' acquisition of both general academic			
	vocabulary and content-specific vocabulary.			
	The visual design of the instructional materials (whether			
9	in print or digital) maintains a consistent layout that supports student engagement with the subject.			
10	Instructional materials incorporate features that aid			
	students and teachers in making meaning of the text.			
11	Instructional materials provide students with ongoing review and practice for the purpose of retaining			
FOCUS A	previously acquired knowledge.  REA 3: RESOURCES FOR PLANNING			
	onal materials provide teacher resources to support plant	ning learni	ng	
	erstanding of the New Mexico Content Standards.	iiig, icaiiii	''b'	
	Instructional materials provide a list of lessons in the			
	Teacher Edition (in print or clearly distinguished/			
12	accessible as a teacher's edition in digital materials),			
12	cross-referencing the standards addressed and providing			
	an estimated instructional time for each lesson, chapter, and unit.			
	Instructional materials support teachers with			
13	instructional strategies to help guide students' academic development.			
	Instructional materials include a teacher edition/			
	teacher-facing material with useful annotations and			
14	suggestions on how to present the content in the			
	student edition/student-facing material and in the			

15	Instructional materials integrate opportunities for digital learning, including interactive digital components.			
	REA 4: ASSESSMENT			
	onal materials offer teachers a variety of assessment reso		tools	
to collect	t ongoing data about student progress related to the stan Instructional materials provide a variety of assessments	aaras.		
	that measure student progress in all strands of the			
16	standards for the content under review.			
	(Adopted New Mexico Content Standards for 2024: NM			
	STEM Ready Science Standards)			
	Instructional materials provide multiple formative and			
17	summative assessments, clearly defining which			
17	standards are being assessed through content and			
	language objectives.			
	Instructional materials provide scoring guides for			
	assessments that are aligned with the standards they			
18	address, and that offer teachers guidance in interpreting			
	student performance and suggestions for further			
	instruction, differentiation, and/or acceleration.  Instructional materials provide appropriate assessment			
	alternatives for English Learners, Culturally and			
19	Linguistically Diverse students, advanced students, and			
	special needs students.			
	Instructional materials include opportunities to assess			
20	student understanding and knowledge of the standards			
	using technology.			
	REA 5: EXTENSIVE SUPPORT	_		
Instruction	onal materials give all students extensive opportunities a	nd support	to explore key concepts.	
21	Instructional materials can be customized or adapted to			
	meet the needs of different student populations.  Instructional materials provide differentiated strategies			
22	and/or activities to meet the needs of students working			
	below proficiency and those of advanced learners.			
	Instructional materials provide appropriate linguistic			
	support for English Learners and Culturally and			
22	Linguistically Diverse students, and accommodations			
23	and modifications for other special populations that will			
	support their regular and active participation in learning			
	content.			
	Instructional materials provide strategies and resources			
	for teachers to inform and engage parents, family			
24	members, and caregivers of all learners about the			
	program and provide suggestions for how they can help			
	support student progress and achievement.  Instructional materials include opportunities for all			
	students that encourage and support critical and			
25	creative thinking, inquiry, and complex problem-solving			
	skills.			
FOCUS A	REA 6: CULTURAL AND LINGUISTIC PERSPECTIVES			
Instruction	onal materials represent a variety of cultural and linguisti	c perspecti	ves.	
	Instructional materials inform culturally and linguistically			
26	responsive pedagogy by affirming students' backgrounds			
	in the materials themselves and in the student			
	discussions.			
	Instructional materials provide a collection of images,			
27	stories, and information, representing a broad range of demographic groups, and do not make generalizations			
	or reinforce stereotypes.			
	Instructional materials provide context, illustrations, and			
	activities for students to make interdisciplinary			
28	connections and/or connections to real-life experiences			
	and diverse cultural and linguistic backgrounds.			
<b>FOCUS A</b>	REA 7: INCLUSION OF CULTURALLY AND LINGUISTICALLY F	RESPONSIV	E LENS	
Instruction	onal materials highlight diversity in culture and language	through m	ultiple perspectives.	

29	Instructional materials include tools and resources to relate the content area appropriately to diversity in		
	culture and language.		
30	Instructional materials include tools and resources that		
	demonstrate multiple perspectives in a specific concept.		
	Instructional materials engage students in critical		
31	reflection about their own lives and societies, including		
	cultures past and present in New Mexico.		
	Instructional materials address multiple ethnic		
32	descriptions, interpretations, or perspectives of events		
	and experiences.		

Stan	dards for Mathematical Practice
1	Make sense of problems and persevere in solving them.
2	Reason abstractly and quantitatively.
3	Construct viable arguments and critique the reasoning of others.
4	Model with mathematics.
5	Use appropriate tools strategically.
6	Attend to precision.
7	Look for and make use of structure.
8	Look for and express regularity in repeated reasoning.